

GI-Revive™ benefits:

- Rejuvenates intestinal mucosal health
- Promotes proper intestinal ability
- Promotes healing for ulceration and inflammation
- Promotes regularity and healthy bowel function

GI-Revive™

Comprehensive support of gastrointestinal health and function



OVERVIEW

GI-Revive™ is a synergistic formula offering comprehensive support for optimal gastrointestinal health and function. It provides therapeutic levels of nutrients which support gastrointestinal mucosal repair and help fight inflammation along with ingredients to promote intestinal regularity.

KEY FEATURES:

Zinc Carnosine

Zinc carnosine is included in this formulation due to its impressive mucosal-protective and anti-ulcerative properties, including the ability to protect the intestinal lining against damage due to indomethacin and other strong anti-inflammatory medications often associated with intestinal mucosal damage.²⁰⁻²²

L-Glutamine

Glutamine is the most important nutritional substance for healthy intestinal cells. It is one of the most commonly used amino acids in the body to repair tissues, particularly high turnover tissue such as the epithelial cells of the intestinal lining. Supplemental L-glutamine has been shown to have immunomodulatory, anticatabolic/anabolic and gastrointestinal mucosal-protective actions. It may also have antioxidant activity as it is a precursor for glutathione synthesis. Under stress, the body relies on glutamine to help meet its extra energy needs. Supplemental L-glutamine is used in medical foods for such stress situations as trauma, cancer, infections and burns. Glutamine deficiency can cause severe intestinal degradation and supplementation can enhance intestinal healing and repair. It is essential in maintaining proper intestinal permeability and avoiding "leaky gut syndrome." Leaky gut syndrome can result in increased toxic and allergy exposure, systemic inflammation, and autoimmune disease.¹⁻⁴

MSM and Quercetin

These anti-inflammatory substances can reduce the chronic inflammation which is often the reason why the intestinal lining becomes damaged and "leaky." Quercetin can also provide direct anti-inflammatory action by stabilising intestinal mast cells and can improve tissue health through its antioxidant functions.⁵

Citrus Pectin

Citrus Pectin is a soluble dietary fibre which exerts physiological effects on the gastrointestinal tract such as reducing glucose absorption and delaying gastric emptying. Regular usage is safe without the caustic and damaging effects of commonly used herbal laxatives such as senna and cascara.

Liquorice, Slippery Elm, Marshmallow, Chamomile, Okra, Aloe Vera and Cat's Claw

These mucilaginous and relaxing herbs can provide comprehensive enhancement of intestinal function by coating and soothing the intestinal lining, promoting the healing of ulcers and inflamed tissue, and reducing cramping by relaxing the intestines. GI-Revive™ contains this impressive comprehensive blend of botanicals that have a long traditional use in gastrointestinal disorders.⁹

ACTIVE INGREDIENTS PER SERVE:			
Glutamine	2 g	Aloe Vera extract Equiv to dry leaf	2.5 mg 500 mg
Pectin	1 g	Althea officinalis (marshmallow) extract Equiv to dry root	5 mg 100 mg
Polaprezinc Equiv to Zinc	75.04 mg 16 mg	Hibiscus (okra) esculentus fruit extract Equiv to dry fruit	25.04 mg 100 mg
Uncaria tomentosa (Cat's claw) extract. Equiv to dry fruit	200 mg 1 g	EXCIPIENT INGREDIENTS PER SERVE: - Calcium hydrogen phosphate dihydrate - Colloidal anhydrous silica - Steviol glycosides - Maltodextrin - Citric acid - Silicon dioxide - Natural peach flavour	
Ulmus rubra (slippery elm) stem bark inner extract Equiv to dry root	125.04 mg 500 mg		
Quercetin	100 mg		
Dimethyl Sulfone (MSM)	100 mg		
Glycyrrhiza Glabra (Liquorice) extract Equiv to minimum dry root	50 mg 400 mg		
Matricaria (Chamomilla) flower extract Equiv to dry flower	20 mg 100 mg		
DOES NOT CONTAIN THE FOLLOWING:		PACK SIZE:	
Gluten, dairy, lactose, or nuts.		Powder 225 grams.	

DIRECTIONS FOR USE:

Take one heaped teaspoon (8 grams) once a day in a glass of water or as directed by your healthcare professional.

Designed & packed in Australia from local and imported ingredients.

PRESCRIBING INFORMATION:

- > It is not advised to take liquorice whilst pregnant or breastfeeding.
- > Glutamine is contraindicated in patients with hepatic disease.
- > Glutamine should not be used in chronic renal failure unless under supervision.
- > Slippery elm may reduce the rate of absorption of medicines that have a narrow therapeutic index such as digoxin, lithium, phenytoin and warfarin. Taking medications 2 hours away from slippery elm administration is advisable.
- > Pectin may interfere with the intestinal absorption of some medications such as digoxin, statin medications and tetracyclines.
- > Caution with epileptic medications as glutamine is a precursor to the excitatory neurotransmitter glutamate and may antagonise anti-seizure effect of epilepsy medications.
- > Aloe Vera may have hypoglycaemic effects therefore caution is to be taken when using alongside hypoglycaemic medications.
- > Caution with concurrent use of immune suppressants - cat's claw will increase the immune response.

WARNINGS:

If symptoms persist, seek the advice of a healthcare professional.

REFERENCES

1. Klimberg, V. Suzanne, M.D., et al. Prophylactic Glutamine protects the intestinal mucosa from radiation injury. *Cancer* 1990, July 1;66(1):62-68.
2. Hickson R, et al. Glutamine prevents downregulation of myosin heavy chain synthesis and muscle atrophy from glucocorticoids. *Am J Physiol* 1995 Apr;268(4 Pt 1):E730-E734.
3. Noyer CM, Simon D, Borczuk A, Brandt LJ, Lee MJ, Nehra V. A double-blind placebo-controlled pilot study of glutamine therapy for abnormal intestinal permeability in patients with AIDS. *Am J Gastroenterol* 1998;93(6):972-5.
4. Foitzik T, Stufler M, Hotz HJ, Klinnert J, Wagner J, Warshaw AL, Schulzke JD, Fromm M, Buhr HJ. Glutamine stabilizes intestinal permeability and reduces pancreatic infection in acute experimental pancreatitis. *J Gastrointest Surg.* 1997;1(1):40-47.
5. Herschler RJ. Dietary and pharmaceutical uses of methylsulfonylmethane and compositions comprising it. United States Patent 4,514,421:April 30,1985.
6. Hutter JA et al., Anti-inflammatory C-glucosyl chromone from *Aloe barbadensis*. In: *JNP* 59(5):541-543, 1996.
7. Langmead L, et al. Antioxidant effects of herbal therapies used by patients with inflammatory bowel disease: an in vitro study. *Aliment Pharmacol Ther.*, 2002 Feb;16(2):197-205.
8. Hough L, Jones JK, Hirst EL. Chemical constitution of slippery elm mucilage; isolation of 3-methyl d-galactose from hydrolysis products. *Nature*, 1950 Jan;165(4184):34.
9. Lengsfeld C, Titgemeyer F, Faller G, Hensel A. Glycosylated compounds from okra inhibit adhesion of *Helicobacter pylori* to human gastric mucosa. *J Agric Food Chem.* 2004;Mar 2a4;52(6):1495-503.
10. Nichols TW, Faass N. *Optimal Digestion, New Strategies for Achieving Digestive Health.* Avon, New York, 1999.
11. Lipski E. *Digestive wellness.* New Canaan, CT: Keats, 1996: 200-03.
12. Pizzorno JE, Murray MT. *Textbook of Natural Medicine (2nd Ed.)*, Churchill Livingstone, New York, 1999.
13. *PDR for Herbal Medicines 1st Ed.*, Medical Economics Co., Montvale, New Jersey, 1998.
14. Fetrow CW, Avila JR. *Complimentary & Alternative Medicines: Professional's Handbook.* Springhouse, Springhouse, PA, 1999.
15. Werbach MR, Murray, MT. *Botanical Influences on Illness: A sourcebook of clinical research.* Third Line Press, Tarzana, California, 1994.
16. Bascom A. *Incorporating Herbal Medicine Into Clinical Practice.* F.A. Davis Co., Philadelphia, 2002.
17. Cheallier A. *Encyclopedia of Herbal Medicine.* Dorling Kindersley, London, 2000.
18. *PDR for Nutritional Supplements 1st Ed.*, Medical Economics Co., Montvale, New Jersey, 2001.
19. Robbers JE, Speedie MK, Tyler VE. *Pharmacognosy and Pharmacobiotechnology.* Williams & Wilkins, Baltimore, 1996.
20. Mahmood A, FitzGerald AJ. Zinc carnosine, a health food supplement that stabilizes small bowel integrity and stimulates gut repair processes. *Gut.* 2007 Feb;56(2):168-75. Epub 2006 Jun 15.
21. Odashima M. Zinc L-carnosine protects colonic mucosal injury through induction of heat shock protein 72 and suppression of NF-kappaB activation. *Life Sci.* 2006 Nov 10;79(24):2245-50. Epub 2006 Aug 2.
22. Mikami K, Otaka M, Watanabe D. Zinc L-carnosine protects against mucosal injury in portal hypertensive gastropathy through induction of heat shock protein 72. *J 22. Gastroenterol Hepatol.* 2006 Nov;21(11):1669-74.
23. Morgan R, Gao G, Pawling J, Dennis JW, Demetriou M, Li B. N-acetylglucosaminyltransferase V (Mgat5)-mediated N-glycosylation negatively regulates Th1 cytokine production by T cells. *J Immunol.* 2004 Dec 15;173(12):7200-8.